

### 第3表 被覆アーク溶接棒単重表

銘 柄			棒径 (mm φ)	棒長 (mm)	包装単位 (kg)	包装当り の本数	1本当り の質量(g)				
WEL 308 WEL 308N2 WEL 308ULC WEL 308LN WEL 309LB WEL 309Mo WEL 312 WEL 316FR WEL 316ULC WEL 316LC WEL 316LN WEL 317ELC WEL SN-1 WEL NCM-ZW WEL 904L WEL 25-5Cu WEL 410 WEL C316LA	WEL 308FR WEL 308L WEL 308LA WEL 309 WEL 309LK WEL 309MoL WEL 16-8-2 WEL 316L WEL 316LA WEL 316CS WEL 317L WEL 317LN WEL SN-5 WEL 144ML WEL 320LR WEL 329J3L WEL 430	WEL 308HTS WEL 308ELC WEL 308LK WEL 309L WEL 309K WEL 310Mo WEL 316 WEL 316ELC WEL 316LK WEL 316LM WEL 317LM WEL 630 WEL KM-1 WEL 25M WEL 25-5 WEL 329J4L WEL C308LA	1.6	250	2.5	390	7				
			2.0	250		250	10				
			2.6	300		125	20				
			WEL 309Nb WEL 316CuL WEL 347 WEL 347H WEL 13-4 WEL AH-4	WEL 310 WEL 318 WEL 347L WEL 410Ni WEL 410NiMo WEL HR3C	WEL 310Nb WEL 330 WEL 347LF WEL 410H WEL 2RM2 WEL 13NiMo	3.2	350	5.0	143	35	
						4.0	350		93	53	
						5.0	350		63	78	
						6.0	350		47	104	
						1.6	250		2.5	420	6
						2.0	250			260	9
						2.6	300			130	19
			WEL Z 308 WEL Z 309L WEL Z 316L WEL Z 309MoL	WEL Z 308L WEL Z 310 WEL Z 317L	WEL Z 309 WEL Z 316 WEL Z 309Mo	4.0	350	5.0	153	32	
						4.0	350		101	49	
						5.0	350		65	75	
						6.0	350		49	100	
2.6	300	2.5				123	20				
WEL 308L ZZ WEL 309 ZZ	WEL 309 ZZ		3.2	350	5.0	141	35				
			4.0	350		91	54				
			5.0	350		61	81				
			6.0	350		43	114				
WEL 308L ZZ WEL 309 ZZ	WEL 309 ZZ		4.0	400	5.0	82	61				
			5.0	400		55	91				

銘 柄			棒径 (mm φ)	棒長 (mm)	包装単位 (kg)	包装当り の本数	1本当り の質量(g)
WEL AZ 308 WEL AZ 308L WEL AZ 309	WEL AZ 309L WEL AZ 309MoL WEL AZ 316	WEL AZ 316L WEL AZ 317L	2.6	300	5.0	129	19
			3.2	350		143	35
			4.0	350		106	47
			5.0	350		63	80
WEL HH-30 WEL 22H	WEL EHK-401K1A WEL HS	WEL HM-40 WEL HT-40	3.2	350	5.0	151	33
			4.0	350		101	49
			5.0	350		65	76
WEL MR-1			3.2	350	5.0	143	35
			4.0	350		93	53
			5.0	350		63	78
WEL Ni-1 WEL DC 182 WEL HX	WEL N-12 WEL AC 112 WEL 117	WEL AC 182 WEL DC 112	3.2	350	5.0	140	36
			4.0	350		90	56
			5.0	350		60	83
WEL MOCU-7	WEL N-26		3.2	350	5.0	147	34
			4.0	350		97	51
			5.0	350		63	78
WEL HC-4 WEL HB-3	WEL HC-22	WEL HA-25	3.2	350	5.0	140	36
			4.0	350		92	54
			5.0	350		66	76
WEL NIC 100S	WEL MOC 70		2.6	300	2.0	112	18
			3.2	350		64	31
			4.0	350		42	48

銘 柄	棒径 (mm φ)	棒長 (mm)	包装単位 (kg)	包装当り の本数	1本当り の質量(g)
WEL NIC 60	2.6	300	2.0	116	17
	3.2	350		68	29
	4.0	350		44	45
WEL S11	3.2	350	2.5	63	40
	4.0	350		43	59
	4.8	350		32	80
WEL S33      WEL S66	3.2	350	2.5	68	37
	4.0	350		46	54
	5.0	350		34	74
WEL EC-10	3.2	400	2.5	44	57
	4.0	400		28	89
	5.0	400		18	139
WEL Cu-90      WEL Cu-70	3.2	350	5.0	146	34
	4.0	400		84	60
	5.0	400		56	90

本数および質量は線径公差および被覆公差などにより多少増減致します。